

Catalogue

Surround Sound System



jazz+

EFAPEL present
the **new**
Surround Sound System



index

mec21	6
<hr/>	
SOLO	7
control units 230 V ~	7
ORQUESTRA	7
central 12 V =	7
control units 12 V =	7
finishings	8
mecQ45	10
<hr/>	
SOLO	11
control units 230 V ~	11
ORQUESTRA	11
central 12 V =	11
control units 12 V =	11
accessories	11
finishings	12
accessories	15
<hr/>	
loudspeakers	15
power supplies	16
amplifier	16
<hr/>	
technical information	17

jazz+



The new EFAPEL Surround Sound system has been designed to **provide an immersive** and high-quality **sound experience** in **various environments**, from residential to commercial, services, and hospitality industry.

With the ability to integrate into the **mec21** and **mecQ45** systems, an elegant design and advanced, and advanced functionalities, the **Jazz+** aims to transform any space into a stage of harmony and acoustic comfort.




+ SOLO


Easy installation and stand-alone

230 V~

The Jazz+ **Solo** solution allows a quick and easy installation, without the need of a dedicated central unit or power supply. With just a remote control and speakers, you can enjoy your favourite music via Bluetooth or tune into FM radio stations.



Control Unit




+ ORQUESTRA


Multi-space and dedicated installation

12 V==


For a more global, thoughtful and sophisticated sound experience, we present the Jazz+ **Orchestra**. This solution is ideal for commercial spaces, hospitality industry and more structured residential environments. It requires a dedicated central unit and power supply, allowing the diffusion of various sound sources throughout the installation.



Power Supply




Central



Control Unit










LOGUS90
Control Unit FM with Display and Bluetooth











APOLO5000
Control Unit FM

SOLO

control units	ref.	cover plates	ref.	color
 <p>Control Unit FM and Bluetooth 230 V~ With FM radio tuner Compatible Bluetooth Mono and/or Stereo Rated voltage: 100 - 240 V ~ Impedance: 2 output to 8 Ω each Power for output: 2 W</p>	75201	 <p>Cover Plate for Control FM with Display</p>	90855 T	BR MF GE PE AL IS PM DU
 <p>Control Unit FM 230 V~ With FM radio tuner Mono and/or Stereo Rated voltage: 100 - 240 V ~ Impedance: 2 output to 8 Ω each Power for output: 2 W</p>	75200	 <p>Cover Plate for Control FM</p>	90854 T	BR MF GE PE AL IS PM DU
		 <p></p>	50854 T	BR MF BM PM PR GR PL CH

ORQUESTRA


Centrals	ref.	cover plates	ref.	color
 <p>Central with USB, Bluetooth and Jack 3,5 mm 12 V ~ Allows input and distribution of 1 external supply of type Jack 3,5 mm, USB or Bluetooth Distributes sound up to 8 control units</p>	75211	 <p>Cover Plate for Central with USB, Bluetooth and Jack 3,5 mm</p>	90856 T	BR MF GE PE AL IS PM DU
		 <p></p>	50856 T	BR MF BM PM PR GR PL CH

control units	ref.	cover plates	ref.	color
 <p>Control Unit FM e Bluetooth 12 V ~ With FM radio tuner Compatible Bluetooth Rated voltage: 12 V ~ Impedance: 2 output to 8 Ω each Power for output: 2 W</p>	75221	 <p>Cover Plate for Control FM with Display</p>	90855 T	BR MF GE PE AL IS PM DU
 <p>Control Unit FM 12 V ~ With FM radio tuner Rated voltage: 12 V ~ Impedance: 2 output to 8 Ω each Power for output: 2 W</p>	75220	 <p>Cover Plate for Control FM with Display</p>	90855 T	BR MF GE PE AL IS PM DU
		 <p></p>	50855 T	BR MF BM PM PR GR PL CH

ORQUESTRA: see power supply on page 16.

T - Rocker, Cover Plate or Frame | BR - White; MF - Ivory; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PM - Matte Black; DU - Golden; BM - Matte White; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.

finishings



LOGUS90



standard / aquarella

ref.

BR White	90910 TBR
MF Ivory	90910 TMF
GE Ice	90910 TGE
PE Pearl	90910 TPE
AL Aluminium	90910 TAL
IS Gray	90910 TIS
PM Matte Black	90910 TPM
DU Golden	90910 TDU



animato

ref.

BB White / White	90910 TBB
MM Ivory / Ivory	90910 TMM
EE Ice / Ice	90910 TEE
PP Pearl / Pearl	90910 TPP
RG Yellow / Ice	90910 TRG
DG Green / Ice	90910 TDG
ZG Blue / Ice	90910 TZG
JG Orange / Ice	90910 TJG
VG Red / Ice	90910 TVG
TS Intense Orange / Gray	90910 TTS
BS Intense Red / Gray	90910 TBS
AA Aluminium / Aluminium	90910 TAA
AS Aluminium / Gray	90910 TAS
SS Gray / Gray	90910 TSS
PG Matte Black / Ice	90910 TPG
PA Matte Black / Aluminium	90910 TPA
PS Matte Black / Gray	90910 TPS
RR Matte Black / Matte Black	90910 TRR
UG Golden / Ice	90910 TUG
DU Golden / Golden	90910 TUU



metallo

ref.

TP Titanium / Pearl	90910 TTP
IA Inox / Aluminium	90910 TIA
OP Gold / Pearl	90910 TOP
QS Nickel / Gray	90910 TQS
US Aluminium / Gray	90910 TUS
RS Chrome / Gray	90910 TRS
OU Gold / Golden	90910 TOU

crystal

ref.

CG Crystal / Ice	90910 TCG
CP Crystal / Pearl	90910 TCP
CA Crystal / Aluminium	90910 TCA
CS Crystal / Gray	90910 TCS
EG Black Crystal / Ice	90910 TEG
EA Black Crystal / Aluminium	90910 TEA
ES Black Crystal / Gray	90910 TES
EP Black Crystal / Matte Black	90910 TEP

petra

ref.

GG Granite / Ice	90910 TGG
GP Granite / Pearl	90910 TGP
GA Granite / Aluminium	90910 TGA
GS Granite / Gray	90910 TGS


arbore

ref.

FP Beech Wood / Pearl	90910 TFP
JP Cherry Tree / Pearl	90910 TJP
MS Mahogany / Gray	90910 TMS
NA Walnut Tree / Aluminium	90910 TNA

*for other frames sizes modify references: **90920 T** (double), **90930 T** (triple), **90940 T** (four-gang), **90950 T** (five-gang).

finishings



APOLO**5000**



standard

ref.

BR White

50910 **TBR**

MF Ivory

50910 **TMF**

mate

ref.

BM Matte White

50910 **TBM**

PM Matte Black

50910 **TPM**

metalizada

ref.

PR Silver

50910 **TPR**

PL Platinum

50910 **TPL**

GR Graphite

50910 **TGR**

CH Champagne

50910 **TCH**


*for other frames sizes modify references: **50921 T** (double horizontal), **50931 T** (triple horizontal), **50941 T** (four-gang horizontal), **50922 T** (double vertical), **50932 T** (triple vertical), **50942 T** (four-gang vertical).





SIZA
Control Unit FM with Display and Bluetooth




LATINA
Central with USB, Bluetooth and Jack 3,5 mm










SOLO

control units		ref.	color
	Control Unit FM with Display and Bluetooth 230 V~ - 2 Modules With FM radio tuner Compatible Bluetooth Mono and/or Stereo Rated voltage: 100 - 240 V ~ Impedance: 2 output to 8 Ω each Power for output: 2 W	75401 S	BR BM PM AL
	Control Unit FM 230 V~ - 2 Modules With FM radio tuner Mono and/or Stereo Rated voltage: 100 - 240 V ~ Impedance: 2 output to 8 Ω each Power for output: 2 W	75400 S	BR BM PM AL

ORQUESTRA

central		ref.	color
	Central with USB, Bluetooth and Jack 3,5 mm 12 V --- - 2 Modules Allows input and distribution of 1 external supply of type Jack 3,5 mm, USB or Bluetooth Distributes sound up to 8 control units	75411 S	BR BM PM AL

control units		ref.	color
	Control Unit FM with Display and Bluetooth 12 V --- - 2 Modules With FM radio tuner Compatible Bluetooth Mono and/or Stereo Rated voltage: 12 V --- Impedance: 2 output to 8 Ω each Power for output: 2 W	75421 S	BR BM PM AL
	Control Unit FM with Display 12 V --- - 2 Modules With FM radio tuner Mono and/or Stereo Rated voltage: 12 V --- Impedance: 2 output to 8 Ω each Power for output: 2 W	75420 S	BR BM PM AL

accessories mecQ45		ref.	color
	Adapter Q45 for Flush Mounting Devices (Siza and Quadra Series)	45993	
	Adapter Q45 with Claws for Flush Mounting Devices (Siza and Quadra Series)	45994	
	Fixing Adapter for Flush Mounting Devices LATINA - 2 Modules	42993	-
	Fixing Adapter with Claws for Flush Mounting Devices LATINA - 2 Modules	42994	
	Box Fixing Adapter for up to 3 Modules	41994	

ORQUESTRA: see power supply on page 16.

S - Semi-assembled. I BR - White; MF - Ivory; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PM - Matte Black; DU - Golden; BM - Matte White; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.

finishings



SIZA



standard

ref.

BR White

43910 **TBR**

mate

ref.

BM Matte White

43910 **TBM**

AL Aluminium

43910 **TAL**

PM Matte Black

43910 **TPM**

*for **other frames sizes** modify **references: 43920 T** (SIZA double), **43930 T** (SIZA triple), **43940 T** (SIZA four-gang).

finishings



QUADRA



standard

ref.

BR White

45910 **TBR**

mate

ref.

BM Matte White

45910 **TBM**

AL Aluminium

45910 **TAL**

PM Matte Black

45910 **TPM**

*for **other frames sizes** modify **references: 45920 T** (double), **45930 T** (triple), **45940 T** (four-gang).

finishings



LATINA



standard

ref.

ref.

BR White

42910 **TBR**

41914 **TBR**

aquarella

ref.

ref.

BM Matte White

42910 **TBM**

41914 **TBM**

AL Aluminium

42910 **TAL**

41914 **TAL**

PM Matte Black

42910 **TPM**

41914 **TPM**

lyra

ref.

ref.

CE Creme

42910 **TCE**

41914 **TCE**

AZ Blue

42910 **TAZ**

41914 **TAZ**

AM Yellow

42910 **TAM**

41914 **TAM**

VR Green

42910 **TVR**

41914 **TVR**

LR Orange

42910 **TLR**

41914 **TLR**

RJ Red

42910 **TRJ**

41914 **TRJ**

ligna

ref.

ref.

RO Oak

42910 **TRO**

41914 **TRO**

FA Beech

42910 **TFA**

41914 **TFA**

MG Mahogany

42910 **TMG**

41914 **TMG**

WG Wenge

42910 **TWG**

41914 **TWG**

*for other frames sizes modify references: **42920 T** (double), **42930 T** (triple), **42940 T** (four-gang), **41916 T** (3 Modules), **41917 T** (4 Modules), **41918 T** (6 Modules), **41926 T** (3+3 Modules).

finishings



LATINA



metallum

ref.

ref.

LU Aluminium

42910 **TLU**

41914 **TLU**

RB Ruddy

42910 **TRB**

41914 **TRB**

CO Copper

42910 **TCO**

41914 **TCO**

OR Gold

42910 **TOR**

41914 **TOR**

CR Chrome

42910 **TCR**

41914 **TCR**

croma

ref.

ref.

BH Matte White / Chrome

42910 **TBH**

41914 **TBH**

AH Aluminium / Chrome

42910 **TAH**

41914 **TAH**

PH Matte Black / Chrome

42910 **TPH**

41914 **TPH**

crystal

ref.

CB Crystal / Matte White

41916 **TCB**

CA Crystal / Aluminium

41916 **TCA**

CK Crystal / Matte Black

41916 **TCK**

EB Black Crystal / Matte White

41916 **TEB**

EA Black Crystal / Aluminium

41916 **TEA**

EP Black Crystal / Matte Black

41916 **TEP**

*for other frames sizes modify references: **42920 T** (double), **42930 T** (triple), **42940 T** (four-gang), **41916 T** (3 modules), **41917 T** (4 modules), **41918 T** (6 modules), **41926 T** (3+3 modules).



Loudspeakers of 3" and 5"
round grille



Loudspeakers of 3" and 5"
square grille

accessories

loudspeakers

5"



Loudspeaker of 5" - 8 Ohm

RMS: 35 W
Maximum power: 50 W
Frequency response: 75 - 20000 Hz

75121

Loudspeaker of 5" - 16 Ohm

RMS: 35 W
Maximum power: 50 W
Frequency response: 75 - 20000 Hz

75122

3"



Loudspeaker of 3" - 8 Ohm

RMS: 20 W
Maximum power: 30 W
Frequency response: 130 - 20000 Hz

75131

Loudspeaker of 3" - 16 Ohm

RMS: 20 W
Maximum power: 30 W
Frequency response: 130 - 20000 Hz

75132

2"



Loudspeaker of 2" - 8 Ohm

Maximum power: 10 W
Frequency response: 450 - 5000 Hz

2^o Sem.
2024

75141

Loudspeaker of 2" - 16 Ohm

Maximum power: 10 W
Frequency response: 450 - 5000 Hz

2^o Sem.
2024

75142

cover plates

ref.

color



Round Grille for Loudspeaker of 5"
External dimensions (mm): ø 204

75128 T

BR



Square Grille for Loudspeaker of 5"
External dimensions (mm): 204 x 204

75129 T



Round Grille for Loudspeaker of 3"
External dimensions (mm): ø 118

75138 T

BR



Square Grille for Loudspeaker of 3"
External dimensions (mm): 118 x 118

75139 T



Cover Plate for Loudspeaker of 2"

90710 T

BR MF
GE PE AL
IS PM DU



Cover Plate for Loudspeaker of 2"

50710 T

BR MF
BM PM
PR GR PL CH

T - Rocker, Cover Plate or Frame. | C - Complete Devices. | BR - White; MF - Ivory; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PM - Matte Black; DU - Golden; BM - Matte White; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.

loudspeakers

ref. color

surface mounting 5"



Surface Mounting Flat 2-Way Loudspeaker of 5" - 8 Ohm

External dimensions (mm): 274 x 185 x 36,5
 RMS: 25 W
 Maximum power: 40 W
 Frequency response: 80 - 19000 Hz

75104 C

BR

Surface Mounting Flat 2-Way Loudspeaker of 5" - 16 Ohm

External dimensions (mm): 274 x 185 x 36,5
 RMS: 25 W
 Maximum power: 40 W
 Frequency response: 80 - 19000 Hz

75105 C

power supplies

ref. color



Power Supply for False Ceiling 12 V --- 18 W

Input: 100-240 V ~ 150 - 60 Hz
 Output: 12 V --- 18 W - 1,5 A
 Up to 1 Sound Central Unit and 2 Control Units

75054



Power Supply for DIN Rail 12 V --- 24 W

Input: 100-240 V ~ 150 - 60 Hz
 Output: 12 V --- 24 W - 2 A
 Up to 1 Sound Center and 4 Control Units
 Size: 2 Modules DIN

75055

—



Power Supply for DIN Rail 12 V --- 54 W

Input: 100-240 V ~ 150 - 60 Hz
 Output: 12 V --- 54 W - 4,5 A
 Up to 1 Sound Center and 8 Control Units
 Size: 3 Modules DIN

75056

amplifier

ref. color



Stereo Amplifier for False Ceiling - 12 V ---

Output Power: Stereo - 12 W + 12 W (4 Ohm) or 6 W + 6 W (8 Ohm);
 Mono - 12 W (4 Ohm) or 6 W (8 Ohm)
 Rated voltage: 12 V --- 4 Loudspeakers Mono or 8 Loudspeakers Stereo by Amplifier
 Função: Stand by

75033

[See Technical information on page 23](#)

C - Complete Devices. | BR - White.



**Technical
Information**

Installation Selection

SOLO (230 V ~)

Composition



Control units



Loudspeakers

Solo is the **System without Central** - It allows the diffusion and control of sound (FM or Bluetooth*) in a given space through the **Sound Control**.

This system is made up of the following elements:

- Control units
- Loudspeakers

* According to the Control Unit version

ORQUESTRA (12 V =)

Composition



Power supplies



Centrals



Control units



Amplifier
(Opcional)



Loudspeakers


It allows the sound diffusion of the same audio signal from an external source connected to the **Central** (USB, Bluetooth or Jack 3,5 mm) through different spaces with individual volume control through the various **Controls Units**.

This system is made up of the following elements:


- Power Supply
- Centrals
- Control Unit de Som
- Amplifier
- Loudspeakers

Loudspeakers


Dimensions - 75131 | 75132 (mm)



Dimensions - 75121 | 75122 (mm)




Dimensions - 75104 C | 75105 C (mm)






SOLO (230 V ~)

Mono




Stereo





ORQUESTRA (12 V \equiv)

Mono













Stereo



LOUDSPEAKERS


Mono

Stereo




LOUDSPEAKERS

Mono



Stereo





efapel.com



Serpins,
3200-355 Serpins
Portugal

Portugal
efapel@efapel.com
+351 239 970 130

Export
export@efapel.com
+351 239 970 135

SAT Technical Support Service
sat@efapel.com
+351 239 970 132



zastúpenie pre Slovenskú republiku:

EMAT elektro. s.r.o.
Pri Jelšine 3636/1
949 01 Nitra
mobil: +421 905 747 827
mail: efapel@emat.sk; eshop@emat.sk

